

ESF-8 SITUATION STATUS REPORT

Operational period: 11/04/2025 to 11/12/2025, 1400

Send updates to: oresf8.sitstat@odhsoha.oregon.gov

Updates since the last report are in blue.

Please note evolving events can change quickly, reports may become outdated shortly after distribution.

OREGON PUBLIC HEALTH EMERGENCY RESPONSE ACTIVATION STATUS

The Oregon Public Health Division’s
 Agency Operations Center (AOC) is currently in
steady state.

Operation Center	Status	Comment
State PHD-AOC	Not Activated	Monitoring Incidents and Events

DUTY OFFICER

- No significant incidents or events

CURRENT PUBLIC HEALTH HAZARDS

- Infant Botulism Outbreak Linked to Infant Formula. November 2025. Two HAN alerts sent out:
 - November 8, 2025. Click the link [here](#).
 - November 11, 2025. Click the link [here](#).
- Monitoring influenza positivity and hospitalizations

PUBLIC HEALTH



Public
Health

Epidemiological Surveillance – Laboratory - Clinical Guidance – Assessment/Interventions/Treatments - Human Services - Behavioral Health

OREGON HEALTH AUTHORITY - PUBLIC HEALTH DIVISION

SURVEILLANCE

Oregon Weekly Respiratory Syncytial Virus (RSV) Surveillance [Report](#) November 2, 2025 – November 8, 2025

PCR Test Positivity

8 (0.4%)

PCR tests positive for RSV were reported.

Antigen Test Positivity

0 (0.0%)

antigen tests positive for RSV were reported.

Number of Reporting Laboratories

14

sentinel laboratories reported these test results.

Thank you to our sentinel providers who report diligently and consistently.

Oregon has not met CDC criteria for RSV season onset.

RSV Surveillance Report

11/02/2025- 11/08/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	1
Current Week	0.4%	2

Oregon Influenza Surveillance Data - [FluBites](#)

Flu Bites is Oregon's weekly influenza surveillance report, produced during influenza season, October-April. The report for the 2025-2026 influenza season will be available beginning October 8th, 2025. [Current report](#).

FluBites

November 02, 2025 - November 08, 2025

Influenza surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Current Week	2.7%	9
Previous Week	1.1%	5

^aData from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^bHospitalization surveillance in Clackamas, Multnomah, and Washington counties only

Influenza Test Results in Oregon, NREVSS, Current Week				
Region	Influenza A	Influenza B	Total Tests	Percent Positivity
1	16 (2.4%)	0 (0.0%)	678	2.4%
2	0 (0.0%)	0 (0.0%)	403	0.0%
3	4 (2.2%)	0 (0.0%)	181	2.2%
5	0 (0.0%)	0 (0.0%)	0	0.0%
6	0 (0.0%)	0 (0.0%)	0	0.0%
7	2 (0.6%)	0 (0.0%)	322	0.6%
9	26 (14.1%)	0 (0.0%)	184	14.1%

Weather Advisories

- **Wind Advisories** have been issued for:
 - Jackson County through 11/13 at 7:00am
 - Klamath Basin, Northern and Eastern Klamath County and Western Lake County, Central and Eastern Lake County through 11/15 at 1:00am
- For active watches and warnings visit [Watches, Warnings or Advisories for Oregon](#) and the [National Weather Service website](#).
- For briefings, briefing videos and additional information on current weather hazards and impacts visit the [NWS Briefings and Information](#) site.
- Warning, Advisory, and Watch definitions can be found at <https://www.weather.gov/sjt/WatchWarningAdvisoryExplained>

Air Quality

- There are **7 active wildfires** in Oregon. For more information, see [OEM's State of Oregon Fire and Hotspots Dashboard](#).
- Air quality is **Good to Moderate** throughout the state.
- Check current air quality conditions with DEQ's [Air Quality Index](#) and [Air Pollution Advisories](#), the US Forest Service [AQI-NowCast time series data](#), or by downloading the free [OregonAIR app](#) on your smartphone. Check with [OR Department of Forestry](#) for fire danger levels and public use restrictions. For Smoke Outlooks and Advisories, check with the [Interagency Wildland Fire Air Quality Response Program \(IWFAQRP\)](#).
 - Oregon DEQ: [Air Pollution Advisories](#), [Air Quality Index](#)
 - Oregon DF: [Fire Danger Levels and Public Use Restrictions](#)
 - OEM: [Fire and Hotspots Dashboard](#)
 - IWFAQRP: [Smoke Outlooks and Advisories](#)
 - US Forest Service: [AQI-NowCast time series data](#)

FLOOD:

- Governor Tina Kotek has formally requested Presidential Disaster Declarations to provide federal support for communities across Coos, Curry, Douglas, and Harney counties devastated by the March 2025 floods.
<https://storymaps.arcgis.com/stories/5b3ecd47075844fe8a1d95f28a8e643b>

DROUGHT:

- The U.S. Drought Monitor estimates approximately 2.8 million Oregon residents are in areas of drought, down 0% since last week. <https://www.drought.gov/states/oregon>

RECREATIONAL ADVISORIES – [RECREATIONAL ADVISORIES](#)

Cyanobacteria Advisories - [Current Cyanobacteria Advisories](#)

- Tenmile lake – precaution issued 10/22/2025



- North Tenmile lake – precaution issued 10/22/2025
 - Prineville reservoir – precaution upgraded to advisory on 10/13/2025 (precaution issued 9/19/2025)
 - Powder arm of Brownlee reservoir – precaution upgraded to advisory on 10/09/2025 (precaution issued 8/21/2025)
 - Unity reservoir – advisory issued 9/26/2025 (upgraded from a precaution that had been in place 7/1/2025-9/25/2025)
 - Thief valley reservoir – precaution upgraded to advisory on 8/20/2025 (precaution issued 7/18/2025)
-

DRINKING WATER SERVICES

- [Active Partial and System-wide Oregon Drinking Water Advisories.](#)
- [Active Partial and System-wide Oregon Drinking Water Advisories Map](#)
- Note: lifted advisories are removed from the current advisories list.
- Current **2025** advisories (new advisories in blue, old in black):
 - Powder Arm of Brownlee Reservoir – Advisory lifted 11/07/2025 (precaution upgraded to advisory on 10/09/2025; precaution initially issued 8/21/2025)
 - Unity Reservoir – Advisory lifted 11/07/2025 (precaution upgraded to advisory on 9/26/2025; precaution initially issued 7/1/2025)
 - Bully Creek Reservoir – Advisory lifted 11/07/2025 (issued 7/18/2025)
 - Roth Development (#00220, Washington Co.) system-wide boil water advisory due to loss of distribution system pressure. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=23436>
 - Get N Go Grocery 7 (#94707, Lane Co.) system-wide boil water advisory due to potential storage water contamination. <https://yourwater.oregon.gov/advisorydetails.php?ISN=23453>
 - Alpine Terrace (#01183, Clackamas Co.) system-wide boil water advisory due to confirmed E. coli at GW source w/ no treatment. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=23286>
 - USFS Silver Lake RS (#01090, Lake Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=23215>
 - Chemical Waste Mgmt of NW Inc (#94718, Gilliam Co.) system-wide boil water advisory due to loss of distribution system pressure. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=23085>
 - London Water Co-Op (#00239, Lane Co.) system-wide boil water advisory due to filtration treatment failure and loss of distribution system pressure. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=23063>
 - Playa (#05988, Lake Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=23163>
 - Sunridge Water Inc (#05798, Umatilla Co.) system-wide do not drink advisory due to nitrate detection. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=22973>
 - Garden Valley Water Assoc. (#00214, Coos Co.) system-wide boil water advisory due to filtration treatment failure. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=22955>
 - Crown MHP (#01009, Washington Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=22906>



- Deer Island Village MHP (#00982, Columbia) partial boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=22898>
- Circle K #9641 (#95225, Marion Co.) system wide boil water advisory due to confirmed E. coli at GW source w/o treatment. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21793>
- Shield Crest Golf Club (#94722, Klamath Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21662>
- Zig Zag Mtn Farm (#06250, Clackamas Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21588>
- Scofield MH Court (#01025, Marion Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21456>
- Albany Supercross (#05100, Linn Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21408>
- Beef NW Feeders – Boardman (#95756, Morrow Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21378>
- McKee Bridge MHP (#01165, Jackson Co.) system-wide Do Not Drink advisory due to arsenic detections. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21292>
- A River Runs Through (#95342, Jackson Co.) system-wide Do Not Drink advisory for vulnerable populations (infants under 6 months and pregnant women) due to nitrate detections. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21182>
- Columbia Basin Onion (#95757, Umatilla Co.) system-wide Do Not Drink advisory for vulnerable populations (infants under 6 months and pregnant women) due to nitrate detections. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=21124>
- Valley View Heights Water Association (#05527, Clackamas Co.) system-wide boil water advisory due to confirmed E. coli in the distribution system. Contact report available here: <https://yourwater.oregon.gov/advisorydetails.php?ISN=19993>

OREGON DEPARTMENT OF AGRICULTURE

Fish and Recreational Shellfish Advisories

- ODA: [Recreational Shellfish Biotoxin Closures](#),
- Shellfish Biotoxin Hotline: 1-800-448-2474
- OHA: [Current Fish and Recreational Shellfish Advisories and Guidelines](#)

MEDICAL CARE

Hospitals - Dialysis – Pharmacies - Long Term Care - VA Health System - Veterinary Services – Home Care



Medical
Care

Oregon Capacity System Data – Hospital Bed Capacity Data

11/12/25 1630						
Time	Region	Acute %	ICU %	Peds acute %	Peds ICU %	ED%
1633	R1	84%	80%	55%	79%	100%
1633	R3	69%	62%	0%	0%	90%
1633	R2	79%	84%	0%	0%	96%
1633	R5	67%	83%	0%	0%	90%
1633	R7	72%	68%	0%	0%	106%
1633	R9	71%	39%	0%	0%	69%
1633	R6	66%	200%	0%	0%	100%

Key

85% capacity is generally considered the surge threshold
ED Boarding above 115 is considered the surge threshold
Capacity trending to maximum capability
Systems surging
Normal Operations

PATIENT MOVEMENT

Emergency Medical Services



Patient Movement

- No additional updates

MEDICAL SUPPLY CHAIN

Blood/Blood Products – Manufacturing – Distribution - Critical Clinical Research- Sterilization – Raw Materials



Medical Supply Chain

- No additional updates

FATALITY MANAGEMENT

Mortuary and Post-Mortuary Services



- No additional updates

REGIONAL UPDATES

Regional reports are received between 9:00am and 11:00am Tuesdays; reports may be outdated shortly after distribution.

REGION 1

- No additional updates

REGION 2

- No additional updates

REGION 3

- No additional updates

REGION 5

- No additional updates

REGION 6/9

- No additional updates

REGION 7

- No additional updates
- Jefferson County has a drought declaration from 9/29/2025 through 12/31/2025. Executive Order 25-23 can be found [here](#).

SYSTEMS

SYSTEM	STATUS	POINT OF CONTACT
HAN	Operational	Nick.May@OHA.Oregon.gov , 503-545-3057
Oregon Capacity System (OCS)	Operational	Nick.May@OHA.Oregon.gov , 503-545-3057
SERV-OR	Operational	Serv.OR@odhsoha.Oregon.gov , 877-343-5767
ESSENCE	Operational	Oregon.Essence@odhsoha.Oregon.gov , 971-673-1111

ADDITIONAL RESOURCES

RESOURCE	WEATHER	HSPR DUTY OFFICER
----------	---------	-------------------



**OREGON
HEALTH**
AUTHORITY

[Submit events to HSPR training calendar](#)

[OHA Crisis and Emergency Risk Communications \(CERC\) Toolkits](#)

[ODHS|OHA technology outage/incident updates](#)

[OEM GIS Hub](#)

[U.S. FDA Medical Device Recalls](#)

[U.S. FDA Drug Shortages](#)

[U.S. FDA Medical Device Shortages](#)

PUBLIC INFORMATION SOURCES

[EPA-RADNET](#)

[OHA COVID-19 Updates](#)

[OregonAIR mobile app](#)

[Sign up for text or email alerts about air pollution](#)

Oregon Health Authority – Public Health Division
Health Security, Preparedness and Response (HSPR)

ESF-8 Situation Status Report 040: 11/12/2025, 1400

[Current severe weather radar](#)

[Current watches and warnings](#)

[Current local forecast](#)

[Gorge \(The Dalles\)](#)

[Central Oregon \(Bend\)](#)

[Coast \(Newport\)](#)

[Eastern \(Ontario\)](#)

[Southern Oregon \(Klamath Falls\)](#)



Outgoing Duty Officer: Aaron McCord (11/03/25 –11/10/25)

Incoming Duty Officer: Timothy Hall (11/10/25 –11/17/25)

Duty Officer for Next Week: Aaron McCord (11/03/25 –11/10/25)

PUBLIC HEALTH DUTY OFFICER CONTACT INFORMATION

Call/text: 971-246-1789

Email: PHP.Duty-Officer@odhsoha.oregon.gov

SITSTAT PREPARED BY: TIMOTHY HALL

REVIEWED BY: DANIELLE BROWN

APPROVED BY: DANIELLE BROWN

REQUEST TO JOIN THE DISTRIBUTION LIST BY EMAILING HAN.OREGON@ODHSOHA.OREGON.GOV OR BY CLICKING [HERE](#).